

Refine Search

Search Results -

Term	Documents
(11 AND 20).PGPB,USPT.	16
(L20 AND L11).PGPB,USPT.	16

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L24

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Tuesday, January 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L24</u>	L20 and l11	16	<u>L24</u>
<u>L23</u>	L20 and l10	0	<u>L23</u>
<u>L22</u>	L20 and l9	2	<u>L22</u>
<u>L21</u>	L20 and l7	79	<u>L21</u>
<u>L20</u>	l4 and load and store	125	<u>L20</u>
<u>L19</u>	l4 and l11	19	<u>L19</u>
<u>L18</u>	l4 and l10	0	<u>L18</u>
<u>L17</u>	l4 and l9	2	<u>L17</u>
<u>L16</u>	l4 and l7	84	<u>L16</u>
<u>L15</u>	l1 and l11	159	<u>L15</u>
<u>L14</u>	l1 and l10	36	<u>L14</u>

<u>L13</u>	l1 and l9	7	<u>L13</u>
<u>L12</u>	l1 and l7	278	<u>L12</u>
<u>L11</u>	(711/201-221)[CCLS]	5810	<u>L11</u>
<u>L10</u>	(717/106-161)![CCLS]	7263	<u>L10</u>
<u>L9</u>	(712/223,224,230)[CCLS]	437	<u>L9</u>
<u>L8</u>	(712/2-300)[CCLS]	11774	<u>L8</u>
<u>L7</u>	(712/2-300)![CCLS]	11774	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	L3 near45 l1	1	<u>L6</u>
<u>L5</u>	L3 near25 l1	1	<u>L5</u>
<u>L4</u>	L3 and l1	158	<u>L4</u>
<u>L3</u>	compar\$7 near12 address\$5 near15 (symbol\$5 or form\$1 or format\$5 or operand\$1 or field\$1)	5819	<u>L3</u>
<u>L2</u>	L1 near18 compar\$6	35	<u>L2</u>
<u>L1</u>	(without or no or "NOT") near5 (comput\$6 or calculat\$5) near8 address\$3	2350	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((symbol*, form*, offset* , base) <near/8> compar* <near/8> address*)<in>..."

☒ e-mail

Your search matched 24 of 1302021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

Key

IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information:

**1. Content-addressable and associative memory: alternatives to the ubiquitous RAM**Chisvin, L.; Duckworth, R.J.;
Computer

Volume 22, Issue 7, July 1989 Page(s):51 - 64

Digital Object Identifier 10.1109/2.30732

[AbstractPlus](#) | Full Text: [PDF](#)(1364 KB) IEEE JNL**2. Slot reuse based on address comparison in the DQDB protocol**

Kim, C.; Park, C.-M.; Youn, J.;

Autonomous Decentralized Systems, 1993. Proceedings. ISADS 93., International Symposium on
30 March-1 April 1993 Page(s):262 - 265

Digital Object Identifier 10.1109/ISADS.1993.262695

[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE CNF**3. A self-testing reconfigurable CAM**

McAuley, A.J.; Cotton, A.J.;

Solid-State Circuits, IEEE Journal of

Volume 26, Issue 3, Mar 1991 Page(s):257 - 261

Digital Object Identifier 10.1109/4.75003

[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEEE JNL**4. REUNITE: a recursive unicast approach to multicast**

Stoica, I.; Ng, T.S.E.; Hui Zhang;

INFOCOM 2000. Nineteenth Annual Joint Conference of the IEEE Computer and Communications
Proceedings. IEEE

Volume 3, 26-30 March 2000 Page(s):1644 - 1653 vol.3

Digital Object Identifier 10.1109/INFOCOM.2000.832563

[AbstractPlus](#) | Full Text: [PDF](#)(992 KB) IEEE CNF**5. All-optical regeneration**

Simon, J.C.; Billes, L.; Dupas, A.; Kowalski, B.; Henry, M.; Landousies, B.;

Optical Communication, 1998. 24th European Conference on

Volume 1, 20-24 Sept. 1998 Page(s):467 - 469 vol.1

Digital Object Identifier 10.1109/ECOC.1998.732662

[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE CNF**6. Symmetric crossbar arbiters for VLSI communication switches**

Tamir, Y.; Chi, H.-C.;
 Parallel and Distributed Systems, IEEE Transactions on
 Volume 4, Issue 1, Jan. 1993 Page(s):13 - 27
 Digital Object Identifier 10.1109/71.205650
[AbstractPlus](#) | Full Text: [PDF](#)(1300 KB) [IEEE JNL](#)



7. A fast on-chip profiler memory using a pipelined binary tree

Lysecky, R.; Cotterell, S.; Vahid, F.;
 Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
 Volume 12, Issue 1, Jan. 2004 Page(s):120 - 122
 Digital Object Identifier 10.1109/TVLSI.2003.820522
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(168 KB) [IEEE JNL](#)



8. A redundant hash addressing method adapted for the postprocessing and error-correction of recognized speech

Reuhkala, E.; Jalanko, M.; Kohonen, T.;
 Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '79.
 Volume 4, Apr 1979 Page(s):591 - 594
[AbstractPlus](#) | Full Text: [PDF](#)(112 KB) [IEEE CNF](#)



9. On global analysis and design of fuzzy control systems

Heng-Ming Tai; Papa, M.; Shenoi, S.;
 Industrial Electronics, Control, and Instrumentation, 1996., Proceedings of the 1996 IEEE IECON 2
 Conference on
 Volume 1, 5-10 Aug. 1996 Page(s):372 - 377 vol.1
 Digital Object Identifier 10.1109/IECON.1996.570981
[AbstractPlus](#) | Full Text: [PDF](#)(512 KB) [IEEE CNF](#)



10. Novel design of a fast phase selector using correlation analysis

Xiang-Ning Lin; Menghua Zhao; Alymann, K.; Pei Liu;
 Power Delivery, IEEE Transactions on
 Volume 20, Issue 2, Part 2, April 2005 Page(s):1283 - 1290
 Digital Object Identifier 10.1109/TPWRD.2004.834298
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(304 KB) [IEEE JNL](#)



11. Efficient entry-reduction algorithm for TCAM-based IP forwarding engine

Wang, P.-C.; Chan, C.-T.; Chen, R.-C.; Chang, H.-Y.;
 Communications, IEE Proceedings-
 Volume 152, Issue 2, 8 April 2005 Page(s):172 - 176
 Digital Object Identifier 10.1049/ip-com:20041153
[AbstractPlus](#) | Full Text: [PDF](#)(1914 KB) [IEEE JNL](#)



12. Software complexity factor in software reliability assessment










Meng-Lai Yin; Peterson, J.; Arellano, R.R.;
 Reliability and Maintainability, 2004 Annual Symposium - RAMS
 2004 Page(s):190 - 194
 Digital Object Identifier 10.1109/RAMS.2004.1285446
[AbstractPlus](#) | Full Text: [PDF](#)(508 KB) [IEEE CNF](#)



13. A circuit-level implementation of fast, energy-efficient CMOS comparators for high-performance microprocessors

Ergin, O.; Ghose, K.; Kucuk, G.; Ponomarev, D.;
 Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 2002 IEEE International
 16-18 Sept. 2002 Page(s):118 - 121
 Digital Object Identifier 10.1109/ICCD.2002.1106757
[AbstractPlus](#) | Full Text: [PDF](#)(289 KB) [IEEE CNF](#)

14. Performance-area trade-off of address generators for address decoder-decoupled memory

-  Hettiaratchi, S.; Cheung, P.Y.K.; Clarke, T.J.W.;
Design, Automation and Test in Europe Conference and Exhibition, 2002. Proceedings
4-8 March 2002 Page(s):902 - 908
Digital Object Identifier 10.1109/DATE.2002.998407
[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) [IEEE CNF](#)
-  **15. Region description and comparative analysis using a tesseral representation**
Antonopoulos, A.; Coenen, F.P.;
Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conf
20-22 Sept. 1999 Page(s):193 - 196
Digital Object Identifier 10.1109/ICDAR.1999.791757
[AbstractPlus](#) | Full Text: [PDF](#)(44 KB) [IEEE CNF](#)
-  **16. Eddy current loss and coil inductance evaluation in DC machines by a PC-based FE code**
Arturi, C.M.; Ubaldini, M.;
Magnetics, IEEE Transactions on
Volume 27, Issue 5, Sep 1991 Page(s):4129 - 4132
Digital Object Identifier 10.1109/20.105010
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) [IEEE JNL](#)
-  **17. Reduction of the switching time of polymer-dispersed liquid crystal using field oriented add**
Bruyneel, F.; De Smet, H.; Van Calster, A.;
Electron Device Letters, IEEE
Volume 23, Issue 7, July 2002 Page(s):401 - 403
Digital Object Identifier 10.1109/LED.2002.1015215
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(211 KB) [IEEE JNL](#)
-  **18. 40-Gb/s all-optical packet synchronization and address comparison for OTDM networks**
Hamilton, S.A.; Robinson, B.S.;
Photonics Technology Letters, IEEE
Volume 14, Issue 2, Feb. 2002 Page(s):209 - 211
Digital Object Identifier 10.1109/68.980524
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(57 KB) [IEEE JNL](#)
-  **19. Impact of the evolution of the metropolitan network on the DSL access architecture**
Ooghe, S.; De Clercq, J.; Van de Voorde, I.; T'Joens, Y.; De Jaegher, J.;
Communications Magazine, IEEE
Volume 41, Issue 2, Feb. 2003 Page(s):140 - 145
Digital Object Identifier 10.1109/MCOM.2003.1179563
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(583 KB) [IEEE JNL](#)
-  **20. Optimization of higher-order systems and extensions of minimum principle**
Agrawal, S.K.; Veeraklaew, T.;
Decision and Control, 1999. Proceedings of the 38th IEEE Conference on
Volume 1, 7-10 Dec. 1999 Page(s):882 - 887 vol.1
Digital Object Identifier 10.1109/CDC.1999.832904
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) [IEEE CNF](#)
-  **21. Bus-based COMA-reducing traffic in shared-bus multiprocessors**
Landin, A.; Dahlgren, F.;
High-Performance Computer Architecture, 1996. Proceedings. Second International Symposium on
3-7 Feb. 1996 Page(s):95 - 105
Digital Object Identifier 10.1109/HPCA.1996.501177
[AbstractPlus](#) | Full Text: [PDF](#)(1052 KB) [IEEE CNF](#)
-  **22. Comparison of resolution enhanced eigenspace based spectral, rooting and ESPRIT direction estimators**
Marks, J.; Hamza, R.; Buckley, K.;

Signals, Systems and Computers, 1991. 1991 Conference Record of the Twenty-Fifth Asilomar Conference on
4-6 Nov. 1991 Page(s):561 - 565 vol.1

Digital Object Identifier 10.1109/ACSSC.1991.186511

[AbstractPlus](#) | Full Text: [PDF](#) (380 KB) [IEEE CNF](#)



23. Novel failure modes with overmolded printed circuit board-based surface mount packages

Duffalo, J.M.; Erhart, D.L.; Schmok, S.C.;

Reliability Physics Symposium, 1993. 31st Annual Proceedings., International

23-25 March 1993 Page(s):250 - 254

Digital Object Identifier 10.1109/RELPHY.1993.283317

[AbstractPlus](#) | Full Text: [PDF](#) (656 KB) [IEEE CNF](#)



24. A simulation study of hardware-oriented DSM approaches

Grujic, A.; Tomasevic, M.; Milutinovic, V.;

TENCON '94. IEEE Region 10's Ninth Annual International Conference. Theme: 'Frontiers of Computing
Proceedings of 1994

22-26 Aug. 1994 Page(s):386 - 390 vol.1

Digital Object Identifier 10.1109/TENCON.1994.369273

[AbstractPlus](#) | Full Text: [PDF](#) (436 KB) [IEEE CNF](#)



[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

indexed by
inspec